

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DA	ATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/806,203	06/19/20	001	Honchin En	Q63594	3753	
23373	7590 0	7/14/2006		EXAMINER		
	E MION, PLLC		CHAMBLISS, ALONZO			
2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037				ART UNIT	PAPER NUMBER	
				2814		
				DATE MAILED: 07/14/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		09/806,203	EN ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Alonzo Chambliss	2814			
	The MAILING DATE of this communication app	ears on the cover sheet with the	e correspondence address			
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
2a)□	Responsive to communication(s) filed on <u>25 Ap</u> This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, p				
Dispositi	on of Claims					
5)□ 6)⊠ 7)□ 8)□ Applicati 9)□ 10)□	Claim(s) 25,26,29-32,64,65 and 67-70 is/are per 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 25,26,29-32,64,65 and 67-70 is/are reclaim(s) is/are objected to. Claim(s) are subject to restriction and/or are subject to restriction and/or are subjected to by the Examine. The specification is objected to by the Examine. The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examine.	vn from consideration. ejected. election requirement. epted or b) objected to by the drawing(s) be held in abeyance. So on is required if the drawing(s) is so	See 37 CFR 1.85(a). Objected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ■ All b) ■ Some * c) ■ None of: 1. ■ Certified copies of the priority documents have been received. 2. ■ Certified copies of the priority documents have been received in Application No 3. ■ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
2) 🔲 Notica 3) 🔯 Inforn	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date 1/10/06.	4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:				

DETAILED ACTION

1. The amendment filed on 4/25/06 has been fully considered and made of record in the application.

Response to Arguments

2. Applicant's arguments, see remarks, filed 4/25/06, with respect to the rejection(s) of claim(s) 25, 26, 29-32, 64, 65, 67, and 68 under 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Inagaki et al. (US 5,837,155) and Wroe et al. (US 4,994,903).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2814

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 25, 26, 29, 64, and 69 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inagaki et al. (US 5,837,155) in view of Wroe et al. (US 4,994,903).

With respect to Claims 25 and 26, Inagaki discloses a resin substrate board 1 having on both sides thereof, first resin insulating layers 4 each comprised of the same resin material (i.e. epoxy resin composition). A lower metal layer 8 (i.e. the lowest layer 5) has a conductor circuit 7 made of metal (i.e. copper) and having the same pattern as the lower metal layer, on each of the first resin insulating layers 4. The conductor circuit comprises a metal (i.e. copper). Each of the first resin insulating layers 4 has a flat and level surface (see col.1 lines 15-25, col. 5 lines 15-67, col. 6 lines 1-67, col. 10 lines 10-20, and col. 11 lines 49-67; Figs. 3-10). Inagaki fails to disclose a resininsulating layer comprising a thermosetting polyolefin resin and a conductor circuit comprising AI. However, Wroe discloses a resin-insulating layer comprising a thermosetting polyolefin that can be substitute for an epoxy resin and a conductor circuit comprising AI that can be substitute for copper. Thus, Inagaki and Wroe have substantially the same environment of a dielectric material on the surface of a substrate with a conductor circuit on the dielectric material. Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate an insulating layer made of polyolefin with the device of Inagaki, since the polyolefin would provide

Art Unit: 2814

reliable electrical insulating layer for the substrate while attached to an Al conductor circuit as taught by Wroe.

With respect to Claim 29, Inagaki discloses the resin insulating layers having a surface (see Figs. 5-10). The limitation "obtained by plasma treatment or corona discharge treatment", is a product by process limitation. If the product in the productby-process claims are the same as or obvious from a product of the prior ad, the claims are unpatentable even tough the prior product was made by a different process. See In re Thorpe, 227 USPQ 964,966 (Fed.cir 1985). A "product by process" claim is directed to the product per se, no matter how actually made. In re Brown, 173 USPQ 685., In re Luck, 177 USPQ 523*, In re Fessmann, 180 USPQ 324*, In re Avery, 186 USPQ 161; In re Wertheim, 191 USPQ 90 (209 USPQ 554 does not deal with this issue', In re Marosi et al. 218 USPQ 289., and particularly In re Thorpe, 227 USPQ 964, all of which make it clear that it is the patentability of the final product per se, which must be determined in a "product by process" claim. and not the patentability of the process, and that an old or obvious product produced by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that applicant has the burden of proof in such cases, as the above case law makes clear.

With respect to Claim 64, the limitation that: "each of the metal layers are formed by plating, PCD or CVD", is a product by process limitation. If the product in the product-by-process claims are the same as or obvious from a product of the prior art, the claims are unpatentable even tough the prior product was made by a different

Art Unit: 2814

process. See In re Thorpe, 227 USPQ 964,966 (Fed.cir 1985). A "product by process" claim is directed to the product per se, no matter how actually made, In re Brown, 173 USPQ 685., In re Luck, 177 USPQ 523*, In re Fessmann, 180 USPQ 324*, In re Avery, 186 USPQ 161; In re Wertheim, 191 USPQ 90 (209 USPQ 554 does not deal with this issue', In re Marosi et al, 218 USPQ 289., and particularly In re Thorpe, 227 USPQ 964, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product produced by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that applicant has the burden of proof in such cases, as the above case law makes clear.

With respect to Claim 69, Inagaki discloses wherein the resin substrate board is a copper clad laminate and has a buildup structure on each side (see col. 1 lines 10-30; Figs. 3-10).

5. Claims 30-32, 67, 68, and 70 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inagaki et al. (US 5,837,155) and Wroe et al. (U.S. 4,994,903) as applied to claim 25 above, and further in view of Brandli et al. (U.S. 5,227,012).

With respect to Claim 30, Inagaki-Wroe both fail to disclose each of the conductor circuits having an upper metal layer made of Ni on its surface, wherein the upper metal layer has a second resin-insulating layer. However, Brandli discloses each of the conductor circuits 1' having an upper metal layer 2' made of Ni on its surface, wherein the upper metal layer has a second resin insulating

Art Unit: 2814

layer 5' (see col. 3 lines 52-63 and col. 4 lines 1-10). Thus, Inagaki-Wroe and Brandli have substantially the same environment of a metal layer attached to a polyimide or polyolefin layer. Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate the upper metal layer and second resin insulating layer with the process of Inagaki-Wroe, since the upper metal layer would improve the adhesion between the lower metal layer and the second resin layer as taught by Brandli.

With respect to Claim 31, Brandli discloses wherein each of the lower metal layers 1 on the surface of the first resin insulating layers 5 has a Cu layer 2 formed on its surface and the conductor circuit is constructed on the Cu layer (see col. 3 lines 52-63,Figs. 1c and 2).

With respect to Claim 32, Brandli discloses wherein the thickness of each of the lower metal layers is .01 micrometers (see col. 4 lines 60-64).

With respect to Claim 67, Brandli discloses a successive series of units, each unit comprising the first resin insulating layer 5, the lower metal layer 1 on the first resin insulating layer 5 and the conductor circuit on the lower metal layer 1 (see Fig. 2).

With respect to Claim 68, Brandli discloses on the second resin insulating layer 5', another lower metal layer 1" on the second resin insulating layer, and another conductor circuit made of metal on the another lower metal layer 2" 3" (see Fig. 2).

Art Unit: 2814

With respect to Claim 70, Brandli discloses wherein the upper metal layer 2' is formed on the whole surface of the conductor circuit 1' (see Fig. 2).

6. Claim 65 is rejected under 35 U.S.C. 103(a) as being unpatentable over Inagaki et al. (US 5,837,155) and Wroe et al. (U.S. 4,994,903) as applied to claim 25 above, and further in view of Misfeldt (U.S. 3,972,755).

With respect to Claim 65, Inagaki-Wroe both fail to explicitly discloses a thermosetting polyolefin resin having a dielectric constant value of not more than 3 and a dielectric loss tangent value of not more than .05. However, it is well known in the semiconductor industry that the dielectric constant value would be not more than 3 (i.e. 2.10) (see Misfeldt col. 2 lines 40-55). Therefore, one skilled in the art at the time of the invention would readily recognize having a dielectric loss tangent value of not more than .05 in a polyolefin resin since the composition of a polyolefin resin with a dielectric constant of 2.10 would yield a tangent value of not more than .05.

The prior art made of record and not relied upon is cited primarily to show the product of the instant invention.

Conclusion

7. Any inquiry concerning the communication or earlier communications from the examiner should be directed to Alonzo Chambliss whose telephone number is (703) 306-9143. The fax phone number for this Group is (703) 308-7722 or 7724.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone

number is (703) 308-7956

Alonzo Chambliss Primary Patent Examiner Art Unit 2814

Page 8

AC/July 8, 2006